



A Summative Review of Advances in Sensor Technology for Precision Agriculture

Manisha Ranwa ^{a*}, Katuri Ramya sri ^{b++}, Akarsh Khare ^c,
Vijai Kumar ^{d++}, Kapil Kumar ^{e++}, J. R. Rajeshwar ^{f++}
and M.Niharika ^{g++}

^a Indian Institute of Soil Science, Bhopal, Madhya Pradesh, India.

^b Department of Agricultural Engineering, Vignan's Foundation for Science, Technology & Research, Vadlamudi, Andhra Pradesh, India.

^c Jawaharlal Nehru Krishi Vishwavidyalaya Jabalpur, Madhya Pradesh, India.

^d Department of Agriculture Engineering, SCRIET, Chaudhary Charan Singh University Campus, Meerut, Uttar Pradesh, India.

^e Department of Agriculture Engineering, SCRIET, Chaudhary Charan Singh University Campus, Meerut, Uttar Pradesh, India.

^f Department of Agricultural Engineering, KL College of Agriculture, KLEF, Vaddeswaram, Andhra Pradesh, India.

^g Department of Food Science and Nutrition, KL College of Agriculture, KLEF, Vaddeswaram, Andhra Pradesh, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/acri/2024/v24i10929>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/123756>

Review Article

Received: 28/07/2024

Accepted: 30/09/2024

Published: 18/10/2024

⁺⁺ Assistant Professor;

*Corresponding author: Email: manisharanwa2@gmail.com;

Cite as: Ranwa, Manisha, Katuri Ramya sri, Akarsh Khare, Vijai Kumar, Kapil Kumar, J. R. Rajeshwar, and M.Niharika. 2024. "A Summative Review of Advances in Sensor Technology for Precision Agriculture". Archives of Current Research International 24 (10):257-75. <https://doi.org/10.9734/acri/2024/v24i10929>.

ABSTRACT

Sensor technology has become a cornerstone of precision agriculture, offering a wide array of applications that enhance farming efficiency, productivity, and sustainability. By providing real-time data on soil health, crop growth, and environmental conditions, sensors enable farmers to optimize inputs such as water, fertilizers, and pesticides, reducing waste and improving yields. The development of advanced sensors, such as multi-spectral and hyper-spectral imaging, combined with artificial intelligence (AI) and machine learning (ML) algorithms, has revolutionized crop monitoring and disease detection, allowing for timely interventions that prevent significant losses. Additionally, the integration of wireless sensor networks (WSNs) and the Internet of Things (IoT) facilitates the seamless collection and transmission of data, enabling remote and automated farm management. This technology has proven instrumental in addressing the challenges of food security by increasing agricultural productivity and reducing input costs. Sensor technologies also promote sustainable land and water management by improving irrigation efficiency and reducing chemical runoff, thus minimizing environmental impact. Economic benefits are substantial, with farmers experiencing cost savings, increased yields, and higher profitability. Moreover, sensor technology contributes to climate-smart agriculture by improving resource use efficiency and reducing greenhouse gas emissions. However, challenges remain, including the high cost of sensor installation and maintenance, limited accessibility in remote regions, data privacy concerns, and the lack of interoperability between different sensor platforms. The future of sensor technology lies in the development of low-cost, biodegradable sensors, the increased use of autonomous and robotic platforms, and enhanced AI integration for more accurate data interpretation. Expanding the use of sensors in smallholder and developing world agriculture will be crucial for global food security and environmental sustainability, offering a promising path toward a more resilient and efficient agricultural system.

Keywords: Precision agriculture; sensor technology; artificial intelligence (ai); crop monitoring; sustainable farming.

1. INTRODUCTION

Precision agriculture (PA) is an innovative approach to farming that emphasizes the application of inputs—such as water, fertilizers, and pesticides—at the right time, in the right place, and in the appropriate amounts. This method is driven by data collected from various sources, such as sensors, drones, satellite imagery, and Geographic Information Systems (GIS), which enable farmers to manage their crops more efficiently and sustainably. The increasing importance of precision agriculture stems from its potential to address key challenges in modern farming, including the need to increase food production for a growing global population and the pressure to minimize the environmental impacts of agricultural practices. By utilizing PA technologies, farmers can reduce the overuse of inputs while enhancing crop yields, contributing to both economic and environmental sustainability [1].

Research has shown that precision agriculture practices can significantly improve crop yields and resource use efficiency. For instance, PA

can lead to a 20-25% increase in productivity and a 15-30% reduction in input costs, depending on the crop and region. Additionally, precision agriculture enables farmers to adopt site-specific management practices, tailoring inputs to the unique conditions of different parts of a field, which reduces environmental impacts such as nutrient runoff and pesticide overuse. This site-specific approach also contributes to sustainability by promoting more efficient use of water, reducing greenhouse gas emissions, and conserving biodiversity [2].

The development of sensor technology in agriculture has been instrumental in the evolution of precision farming. Early efforts in the 1980s focused on the use of simple sensors to monitor soil properties, such as moisture content and pH, but the introduction of the Global Positioning System (GPS) in the 1990s marked a turning point for precision agriculture. GPS enabled precise geolocation of data collected from sensors, facilitating site-specific management of crops and the creation of detailed maps that illustrated variability within fields. This development laid the foundation for modern PA

practices, which rely on a combination of sensor data and geospatial analysis to optimize input use and maximize crop yields [3].

As sensor technology advanced in the 2000s, new types of sensors emerged that were capable of measuring a wider range of variables, including soil electrical conductivity, temperature, and nutrient levels. Additionally, remote sensing technologies, such as multispectral and hyperspectral imaging, became increasingly available, allowing farmers to monitor crop health from aerial platforms like drones and satellites. These advances enabled continuous monitoring of crop conditions, providing real-time data that farmers could use to make informed decisions about irrigation, fertilization, and pest control. The integration of wireless communication technologies with sensors further expanded the capabilities of precision agriculture, enabling data to be transmitted and analyzed remotely.

Sensors play a central role in enhancing both the productivity and sustainability of agricultural systems. By providing real-time data on soil conditions, crop health, and environmental factors, sensors allow farmers to make more informed decisions and implement site-specific management practices. For example, soil moisture sensors can help optimize irrigation by ensuring that crops receive the appropriate amount of water, thereby reducing water waste and improving yield [4]. Similarly, nutrient sensors allow farmers to monitor the nutrient status of their soils and apply fertilizers more efficiently, reducing the risk of nutrient leaching and contamination of water sources.

The environmental benefits of sensor technology in agriculture are significant. By optimizing input use, sensors help to reduce the overapplication of fertilizers and pesticides, which can have harmful effects on soil health, water quality, and biodiversity. Furthermore, sensors enable the early detection of crop stress and diseases, allowing for targeted interventions that minimize the need for broad-spectrum chemical applications. This contributes to more sustainable agricultural practices that are better aligned with the goals of resource conservation and climate change mitigation.

The purpose of this review is to provide a comprehensive overview of the recent advancements in sensor technology for precision

agriculture [5]. By examining the different types of sensors used in PA, their operating principles, and the technological innovations driving their development, this review seeks to highlight the critical role that sensors play in modern farming systems. The scope of the review will encompass soil, crop, environmental, and livestock sensors, as well as their integration with Geographic Information Systems (GIS) and wireless communication technologies. Additionally, this review will address the challenges and limitations associated with the adoption of sensor technologies in agriculture and explore potential future directions for research and development in this field.

Precision agriculture relies heavily on various sensor technologies to collect real-time data about the environment, crops, and livestock [6]. These sensors enable farmers to make data-driven decisions to enhance productivity, optimize input use, and promote sustainability. The primary types of sensors in precision agriculture can be broadly categorized into soil sensors, crop and plant sensors, environmental sensors, and livestock monitoring sensors.

2. SOIL SENSORS

Soil sensors are critical in precision agriculture as they provide insights into soil health, allowing for better management of irrigation, fertilization, and crop selection. These sensors help to monitor soil properties and variations across different sections of the field (Table 1).

3. MOISTURE SENSORS

Soil moisture sensors are perhaps the most widely used type of soil sensors in precision agriculture. These sensors measure the water content in the soil, allowing farmers to manage irrigation more efficiently. Soil moisture sensors typically work by measuring the dielectric constant of the soil, which changes depending on the amount of water present. One of the most common techniques used in these sensors is time-domain reflectometry (TDR), which provides accurate, real-time data on soil moisture levels [7]. Proper irrigation scheduling, based on soil moisture data, can significantly reduce water usage while maintaining crop yield, making these sensors particularly important in areas with limited water resources.

Table 1. Advances in sensor technology for precision agriculture

Sensor Technology	Description	Applications in Precision Agriculture
Soil Moisture Sensors	Measure the volumetric water content in the soil.	Used for irrigation management to optimize water use and avoid over-irrigation or water stress.
Electrochemical Sensors	Detect specific chemical compounds in soil or plant tissues.	Monitor nutrient levels in soil (e.g., nitrogen, phosphorus) and ensure proper fertilization.
Optical Sensors	Use light reflection, absorption, and emission to assess plant health and soil properties.	Identify crop health, detect plant stress, and estimate biomass and leaf area index (LAI).
Multispectral and Hyperspectral Sensors	Capture data across different wavelengths of the electromagnetic spectrum.	Enable detailed crop monitoring for detecting diseases, pest infestations, and nutrient deficiencies.
Thermal Infrared Sensors	Measure surface temperatures of crops and soil.	Monitor plant stress due to water shortages, evaluate canopy temperature, and assess soil evaporation rates.
LiDAR (Light Detection and Ranging) Sensors	Utilize laser pulses to create high-resolution maps of land surfaces.	Generate 3D maps for precision land leveling, assess canopy structure, and estimate crop heights.
Proximal Canopy Sensors	Sensors placed close to crop canopies to assess plant status based on reflected light.	Evaluate nitrogen levels in plants and monitor growth stages.
UAV-Based Sensors	Sensors mounted on unmanned aerial vehicles (drones) that collect data from above fields.	Monitor crop health, detect variability in fields, and create variable rate application maps for pesticides, fertilizers, and irrigation.
pH Sensors	Measure the acidity or alkalinity of soil.	Ensure proper soil pH for optimal nutrient uptake and crop growth.
Nutrient Sensors	Detect levels of specific nutrients, such as nitrogen, phosphorus, or potassium.	Assist in creating precise fertilization schedules to improve nutrient management and avoid over-application of fertilizers.
Chlorophyll Meters	Estimate the chlorophyll content in leaves, which correlates with nitrogen levels in plants.	Guide nitrogen fertilization and monitor plant health.
Atmospheric Sensors	Measure environmental parameters such as temperature, humidity, and CO ₂ concentration.	Help manage greenhouse conditions, optimize plant growth environments, and improve decision-making in open-field farming.
Magnetic Resonance Sensors	Utilize magnetic fields to measure soil water content, root growth, and soil compaction.	Provide detailed insights into soil structure and plant root interaction for better management of soil health and irrigation strategies.

Sources: [7,9,11]

4. PH SENSORS

Soil pH sensors measure the acidity or alkalinity of the soil, a crucial factor that affects nutrient availability and overall plant health. pH sensors typically use ion-selective electrodes to detect hydrogen ion concentration in the soil, providing farmers with real-time data

that can inform fertilizer application. Proper pH management is essential because extreme pH levels can lock nutrients in the soil, making them unavailable to plants. For instance, a pH imbalance can prevent plants from absorbing phosphorus and potassium, essential nutrients for growth [8].

5. ELECTRICAL CONDUCTIVITY SENSORS

Soil electrical conductivity (EC) sensors measure the ability of soil to conduct electrical current, which is influenced by factors such as soil salinity, texture, and moisture content. These sensors provide valuable information about soil nutrient levels and salinity, helping farmers adjust fertilization and irrigation practices. EC sensors can also be used to map soil variability across fields, enabling site-specific management practices that enhance efficiency and reduce waste [9].

6. TEMPERATURE SENSORS

Soil temperature plays a critical role in seed germination, root growth, and microbial activity. Temperature sensors measure soil temperature, allowing farmers to make informed decisions about planting times and crop management. Thermistors and thermocouples are commonly used in soil temperature sensors, providing precise data that helps optimize crop production cycles. Proper management of soil temperature can also help prevent soil-borne diseases that thrive in specific temperature ranges, thereby improving crop health and yield [10].

7. CROP AND PLANT SENSORS

Crop and plant sensors monitor the health, growth, and development of plants, providing critical data that enables precision agriculture practices such as variable rate application of fertilizers, pesticides, and water.

8. CANOPY REFLECTANCE SENSORS

Canopy reflectance sensors measure the light reflected by the plant canopy, particularly in the visible and near-infrared (NIR) spectrums. These sensors are used to assess plant health, biomass, and chlorophyll content. Canopy reflectance sensors, such as those used to calculate the Normalized Difference Vegetation Index (NDVI), help farmers monitor crop vigor and detect early signs of stress due to water, nutrient deficiencies, or diseases. Studies have shown that canopy reflectance sensors can increase nitrogen use efficiency by up to 20%, thereby reducing fertilizer use and environmental impact [11].

9. CHLOROPHYLL SENSORS

Chlorophyll sensors measure the amount of chlorophyll in plant leaves, which is an indicator

of photosynthetic activity and overall plant health. These sensors typically use light absorption techniques to determine chlorophyll content, providing data that helps optimize nutrient management, particularly nitrogen. By detecting nitrogen deficiencies early, chlorophyll sensors allow for precise fertilizer applications, improving both yield and environmental sustainability.

10. SPECTRAL IMAGING SENSORS

Spectral imaging sensors capture data across multiple wavelengths of light, allowing for a more detailed analysis of plant health. Unlike canopy reflectance sensors, which measure a few specific bands, spectral imaging sensors can capture hundreds of bands, providing comprehensive insights into plant physiology [12]. These sensors are especially useful for detecting early-stage crop stress, diseases, and nutrient deficiencies that may not be visible to the naked eye. Hyperspectral imaging, in particular, has been shown to detect crop diseases with over 90% accuracy, enabling timely interventions that prevent yield losses.

11. ENVIRONMENTAL SENSORS

Environmental sensors monitor the external factors that influence crop growth, including weather conditions and light availability. These sensors help farmers adjust their management practices based on real-time data about the surrounding environment [13].

11.1 Weather Stations and Meteorological Sensors

Weather stations equipped with meteorological sensors measure key environmental variables such as temperature, humidity, wind speed, and rainfall. These data are crucial for predicting weather patterns and assessing the impact of environmental conditions on crop growth. By providing real-time data, weather sensors allow farmers to adjust irrigation schedules, protect crops from adverse weather, and optimize planting and harvest times. Integrated weather data has been shown to improve crop yield forecasting and reduce the risk of weather-related crop failures.

11.2 Light Sensors (PAR Sensors)

Photosynthetically Active Radiation (PAR) sensors measure the amount of light available for photosynthesis, which is crucial for plant growth.

PAR sensors are often used in conjunction with canopy reflectance and chlorophyll sensors to monitor plant health and optimize light use efficiency [14]. In greenhouse settings, PAR sensors help regulate artificial lighting, ensuring that plants receive the optimal amount of light for photosynthesis, which can increase yield and reduce energy costs.

11.3 Livestock Monitoring Sensors

Livestock monitoring sensors are a critical component of precision livestock farming (PLF), a subset of precision agriculture that focuses on optimizing the health, productivity, and welfare of animals through the use of technology.

11.4 Body Temperature Sensors

Body temperature sensors monitor the core temperature of livestock, providing data that can be used to detect health issues such as fever or heat stress. These sensors are particularly valuable in identifying early signs of illness, allowing for timely interventions that improve animal health and productivity [15]. In dairy farming, for instance, continuous monitoring of body temperature has been shown to reduce the incidence of mastitis and other common diseases, improving overall herd health.

11.5 Motion and Activity Sensors

Motion and activity sensors track the movement and behavior of livestock, providing insights into their health, reproductive status, and overall well-being. These sensors are often used to monitor feeding and grazing patterns, detect estrus in breeding animals, and identify signs of lameness or other mobility issues. Automated motion sensors have been shown to improve reproductive management by accurately detecting estrus, which increases the success rate of artificial insemination and reduces calving intervals [16].

12. WORKING PRINCIPLES OF SENSORS IN PRECISION AGRICULTURE

The increasing demand for sustainable and efficient agricultural practices has made sensor technologies integral to precision agriculture. Sensors, which detect various environmental, soil, and plant conditions, provide crucial data that enables farmers to make informed decisions. Understanding the basic operating mechanisms of these sensors, how data is collected and

interpreted, and the integration of wireless communication technologies and geospatial systems such as Geographic Information Systems (GIS) and Global Positioning Systems (GPS) is key to optimizing the use of sensor technologies in agriculture [17].

12.1 Basic Operating Mechanisms of Sensors

The basic operating mechanisms of sensors in precision agriculture involve the conversion of physical, chemical, or biological variables into measurable signals. Most sensors used in agriculture operate by detecting changes in environmental conditions and translating these changes into electrical signals that can be interpreted and processed. For instance, soil moisture sensors work by detecting the dielectric constant of the soil, which varies with moisture content. This value is then converted into a signal that represents the amount of water in the soil [18].

Optical sensors, such as those used for canopy reflectance and chlorophyll measurement, operate by detecting the intensity of light reflected from plant surfaces. These sensors capture light in specific wavelength bands, such as the visible and near-infrared (NIR) spectra, which are correlated with plant health indicators like chlorophyll content and biomass. Hyperspectral sensors, which collect data over a wide range of wavelengths, offer detailed insights into plant stress, disease presence, and nutrient deficiencies.

In addition to optical sensors, mechanical and electrochemical sensors are widely used in precision agriculture. For example, pH sensors detect hydrogen ion activity in the soil by using ion-selective electrodes, providing real-time data on soil acidity or alkalinity, which is critical for nutrient management. Similarly, electrochemical sensors, such as those measuring electrical conductivity (EC), help monitor soil salinity and nutrient concentrations, which directly affect crop growth and productivity [19].

12.2 Data Collection and Interpretation

The effectiveness of sensors in precision agriculture depends largely on the processes of data collection and interpretation. Data collection involves the acquisition of information from the sensor units, which may either be deployed in the field or remotely via satellites, drones, or

other mobile platforms. Depending on the type of sensor, data can be collected continuously or at set intervals, providing real-time insights into soil, crop, or environmental conditions.

Once collected, the raw data undergoes preprocessing, which includes noise filtering, calibration, and validation. This is essential for ensuring data accuracy, especially since agricultural environments are often subject to fluctuations in external factors such as temperature, humidity, and light, which can introduce noise into the measurements. For instance, soil pH sensors may need to be calibrated regularly to account for variations in soil composition across different areas of a field [20].

After preprocessing, the data is analyzed and interpreted using algorithms, machine learning models, and decision support systems (DSS). The interpretation of sensor data is crucial for translating the raw data into actionable insights that farmers can use to improve management practices. For example, data from soil moisture sensors can be combined with weather forecasts to optimize irrigation schedules, while spectral data from crop sensors can be used to detect early signs of nutrient deficiency or disease. Decision support systems play a key role in synthesizing large amounts of data from multiple sensors and providing farmers with real-time recommendations.

12.3 Wireless Communication Technologies in Sensor Networks

Wireless communication technologies have revolutionized the use of sensor networks in precision agriculture by enabling the transmission of data over large distances without the need for physical connections [21]. Wireless sensor networks (WSNs) are composed of spatially distributed sensors that communicate through wireless protocols, transmitting data to a central hub or cloud-based platform where it can be stored and analyzed in real-time. The use of wireless technology has enhanced the scalability and flexibility of sensor networks, making it possible to monitor large agricultural areas more efficiently.

Common wireless communication technologies used in precision agriculture include Zigbee, LoRa, and Wi-Fi. Zigbee is a low-power, short-range communication protocol that is commonly used in sensor networks due to its energy

efficiency, which allows sensors to operate on battery power for extended periods. LoRa, on the other hand, is a long-range, low-power communication technology that can transmit data over distances of up to 15 kilometers in rural areas, making it ideal for agricultural applications [22]. LoRa's ability to operate in the unlicensed spectrum also makes it a cost-effective solution for deploying large-scale sensor networks.

Additionally, cellular networks such as 4G and the emerging 5G technology are increasingly being used for real-time data transmission in precision agriculture. These networks enable high data transmission rates and support applications that require large volumes of data, such as high-resolution imagery from drones or satellite-based sensors. The Internet of Things (IoT) framework further enhances the connectivity of sensor networks, allowing multiple sensors and devices to communicate and share data seamlessly.

13. INTEGRATION OF SENSORS WITH GEOGRAPHIC INFORMATION SYSTEMS (GIS) AND GLOBAL POSITIONING SYSTEMS (GPS)

The integration of sensors with Geographic Information Systems (GIS) and Global Positioning Systems (GPS) is fundamental to precision agriculture. GIS is a spatial analysis tool that enables the mapping and visualization of sensor data, providing insights into the spatial variability of soil and crop conditions across a field. GPS, on the other hand, provides accurate geolocation data that ensures the precise application of inputs, such as fertilizers, water, or pesticides, based on sensor readings [23].

By integrating sensor data with GIS, farmers can create detailed spatial maps of their fields, identifying areas that require specific management interventions. For example, soil sensors can provide data on moisture, pH, and nutrient levels, which can be combined with GPS to develop variable rate application (VRA) maps. These maps enable the precise application of inputs based on the unique conditions of different areas within the field, reducing waste and improving crop productivity.

Furthermore, the combination of GPS with sensor data allows for the automation of field operations. GPS-guided machinery, such as tractors and sprayers, can be programmed to follow predetermined paths based on sensor readings, ensuring accurate input application.

This level of precision is particularly valuable in large-scale farming operations, where small errors in input application can lead to significant yield losses [24]. The use of drones and satellites, equipped with GPS and remote sensing sensors, has further expanded the scope of precision agriculture by enabling large-scale monitoring of crop health, soil conditions, and environmental factors.

13.1 Recent Technological Advancements in Sensor Technologies

The adoption of sensor technologies in precision agriculture has undergone significant advancements in recent years, driven by the need for improved efficiency, sustainability, and accuracy in farming practices. These innovations span across various domains, from the development of advanced imaging sensors to the integration of artificial intelligence (AI), machine learning (ML), and the Internet of Things (IoT). Recent trends also emphasize the use of nanotechnology for more sensitive and smaller sensors, as well as the importance of cloud-based data management systems for real-time monitoring [25].

13.2 Development of Multi-Spectral and Hyper-Spectral Sensors

One of the key technological advancements in precision agriculture is the development of multi-spectral and hyper-spectral sensors. These sensors capture light across various wavelengths, allowing for detailed analysis of crop health, soil composition, and environmental conditions. Multi-spectral sensors typically capture data in specific wavelength bands, such as visible and near-infrared (NIR), which are crucial for calculating indices like the Normalized Difference Vegetation Index (NDVI). NDVI is commonly used to monitor plant vigor and detect stress in crops. Hyper-spectral sensors, on the other hand, capture a continuous spectrum of wavelengths, providing a more detailed spectral signature of the crops, which can be used to identify subtle differences in plant health, nutrient levels, and disease presence [26].

The advantage of hyper-spectral sensors lies in their ability to detect early signs of stress or disease that may not be visible to the human eye or detectable by traditional sensors. This capability enables more timely interventions, reducing the potential for crop loss. Furthermore, the integration of these sensors with unmanned

aerial vehicles (UAVs) and satellite systems has expanded the scope of remote sensing in agriculture. These platforms allow farmers to monitor large tracts of land with high spatial and temporal resolution, providing real-time data that can inform precision management practices.

The miniaturization of these sensors has also made them more accessible to smallholder farmers, who can now deploy multi-spectral and hyper-spectral sensors on drones for real-time monitoring. The cost reduction in these technologies, coupled with their increased accuracy, has made them indispensable tools in modern precision farming [27].

13.3 Integration of Artificial Intelligence and Machine Learning in Sensor Technologies

The integration of artificial intelligence (AI) and machine learning (ML) into sensor technologies has revolutionized precision agriculture by enabling the processing and interpretation of large datasets. AI and ML algorithms can analyze vast amounts of sensor data, identify patterns, and make predictions, allowing farmers to optimize their management practices. For instance, ML models can be trained to detect early signs of crop stress by analyzing multi-spectral and hyper-spectral sensor data, thereby improving the timing and accuracy of interventions.

One of the most significant applications of AI and ML in precision agriculture is the development of decision support systems (DSS) that provide farmers with actionable insights based on real-time sensor data. These systems can predict yield, optimize input application (such as water and fertilizers), and detect diseases or pests with high accuracy [28]. By continuously learning from new data, ML models improve their accuracy over time, making precision farming increasingly efficient and reliable.

AI-driven automation is also playing a role in sensor technologies. Automated irrigation systems, for example, use AI algorithms to adjust water levels based on real-time soil moisture sensor data and weather predictions. Similarly, AI-powered drones equipped with sensors can autonomously scan fields, detect problem areas, and recommend treatments. This level of automation significantly reduces labor costs and enhances the precision of farming practices.

13.4 Wireless Sensor Networks (WSNs) and Internet of Things (IoT) in Precision Agriculture

Wireless Sensor Networks (WSNs) and the Internet of Things (IoT) have become fundamental to the deployment of sensor technologies in precision agriculture. WSNs consist of spatially distributed sensors that communicate wirelessly, allowing for real-time monitoring of environmental conditions, soil properties, and crop health across large agricultural fields. These networks eliminate the need for wired connections, making it easier to deploy sensors in remote or hard-to-reach areas [29].

The IoT framework extends the capabilities of WSNs by connecting sensors, devices, and systems through the internet. This allows for the seamless integration of data from various sources, including soil moisture sensors, weather stations, and drones, into a single platform where it can be analyzed and visualized in real time. The IoT enables automated decision-making processes, such as the activation of irrigation systems based on soil moisture sensor data or the application of fertilizers when nutrient deficiencies are detected.

One of the most significant benefits of IoT in precision agriculture is the ability to monitor crops and environmental conditions continuously, providing farmers with real-time data that allows for more precise management of resources. For example, LoRaWAN (Long Range Wide Area Network) is a low-power communication protocol widely used in IoT-enabled agriculture. It allows sensors to communicate over long distances, providing reliable data transmission even in rural areas with limited connectivity [30]. IoT solutions have also been integrated with cloud platforms, enabling farmers to access sensor data remotely via smartphones or computers, facilitating on-the-go decision-making.

13.5 Nanotechnology in Sensor Development

Nanotechnology has emerged as a promising frontier in sensor development for precision agriculture. Nanosensors are characterized by their small size, high sensitivity, and ability to detect minute changes in environmental or biological conditions. Nanomaterials, such as carbon nanotubes, nanowires, and quantum dots, are increasingly being used to enhance the

sensitivity and accuracy of sensors used in soil, plant, and environmental monitoring.

Nanosensors have been developed to detect soil properties, such as moisture content, nutrient levels, and pH, at a molecular level. These sensors provide more accurate and real-time data compared to conventional sensors, enabling farmers to make better-informed decisions about irrigation, fertilization, and other management practices [31]. For example, nanosensors can detect trace amounts of nitrogen in the soil, allowing for precise fertilizer application that reduces environmental impact and increases crop yield.

Additionally, nanotechnology has facilitated the development of biosensors, which are used to detect biological markers associated with plant health, such as stress hormones or pathogens. These biosensors enable the early detection of diseases or pest infestations, allowing for timely interventions that minimize crop losses. Furthermore, the integration of nanotechnology with IoT and AI has led to the development of smart nanosensors that can communicate wirelessly and autonomously respond to changes in the agricultural environment [32].

13.6 Cloud-Based Data Management and Real-Time Monitoring Systems

The advent of cloud-based data management systems has transformed the way sensor data is stored, processed, and analyzed in precision agriculture. Cloud computing provides a scalable, secure, and cost-effective platform for managing the vast amounts of data generated by sensors deployed across agricultural fields. These systems enable farmers to access real-time data, perform complex analyses, and receive recommendations based on AI and ML algorithms.

One of the key advantages of cloud-based systems is their ability to integrate data from multiple sources, including sensors, drones, and satellites, into a single platform. This integration allows for a comprehensive view of the agricultural environment, facilitating more informed decision-making. For example, farmers can combine soil moisture sensor data with weather forecasts to optimize irrigation schedules or use spectral data from drones to monitor crop health and predict yields [33].

Real-time monitoring systems, powered by cloud computing, provide continuous updates on crop and soil conditions, enabling farmers to respond immediately to any issues that arise. These systems also support predictive analytics, allowing farmers to anticipate problems such as droughts or pest infestations and take preventive measures. Cloud platforms offer user-friendly dashboards that visualize sensor data, making it easier for farmers to interpret and act on the information.

Cloud-based systems facilitate collaboration between stakeholders in the agricultural supply chain, including researchers, agronomists, and policymakers. By sharing data and insights, these stakeholders can work together to improve agricultural practices, increase productivity, and promote sustainability [34].

14. APPLICATIONS OF SENSOR TECHNOLOGY IN PRECISION AGRICULTURE

Sensor technology has revolutionized precision agriculture by providing farmers with real-time data to optimize resource use, enhance crop management, and improve overall farm productivity. The integration of sensors with various agricultural practices helps monitor soil health, manage irrigation, detect diseases and pests, predict crop growth, and improve livestock management. These technologies enable site-specific management, where decisions are tailored to the needs of individual areas within a field or specific livestock, resulting in more efficient and sustainable farming practices.

14.1 Soil Health Monitoring and Nutrient Management

Soil health is a critical component of successful crop production, and sensor technology plays a vital role in monitoring soil conditions in real-time. Sensors such as soil moisture, pH, and electrical conductivity (EC) sensors are widely used to assess soil health parameters that influence plant growth and nutrient uptake [35]. These sensors provide precise data on soil moisture levels, pH balance, and salinity, which are essential for optimizing irrigation and fertilizer applications.

Soil moisture sensors, for instance, measure the volumetric water content of the soil, allowing

farmers to adjust irrigation schedules to avoid over- or under-watering crops. This real-time data helps prevent waterlogging or drought stress, both of which can harm plant roots and reduce yield. Similarly, pH sensors monitor soil acidity or alkalinity, helping farmers maintain optimal conditions for nutrient availability. Nutrient sensors, particularly those monitoring nitrogen, phosphorus, and potassium, are used to manage fertilizer application more efficiently, ensuring that crops receive the right amount of nutrients while minimizing environmental harm caused by excess fertilizer runoff.

The integration of soil health data with Geographic Information Systems (GIS) and machine learning models enables the creation of nutrient management plans that are tailored to specific areas within a field. This site-specific nutrient management reduces input costs and improves crop yield by ensuring that each part of the field receives the necessary nutrients based on its unique soil conditions [36].

14.2 Irrigation Management and Water Conservation

Water is one of the most critical resources in agriculture, and the efficient use of water is essential for sustainable farming. Sensor technology has been instrumental in improving irrigation management and conserving water by providing real-time data on soil moisture, evapotranspiration rates, and weather conditions. Soil moisture sensors, in particular, have become an integral tool for precision irrigation, allowing farmers to apply water only when and where it is needed.

By using soil moisture sensors, farmers can monitor the exact water needs of their crops and adjust irrigation systems accordingly. This reduces water waste, prevents over-irrigation, and ensures that crops receive sufficient water for optimal growth. Studies have shown that the use of soil moisture sensors in precision irrigation can reduce water usage by 30-50% without compromising crop yields [37].

In addition to soil moisture sensors, environmental sensors such as weather stations and evapotranspiration sensors provide data on weather patterns and crop water use. This information is crucial for predicting irrigation needs and optimizing water use efficiency. When integrated with automated irrigation systems,

these sensors can trigger irrigation events based on real-time data, ensuring that water is applied only when necessary. This type of precision irrigation has been shown to conserve water resources while maintaining or even improving crop yields.

The integration of sensor-based irrigation management with IoT platforms allows for remote monitoring and control of irrigation systems. Farmers can access real-time data on soil moisture and weather conditions from their smartphones or computers and make adjustments to irrigation schedules as needed. This remote capability is particularly valuable in large-scale farming operations or in regions with limited water availability [38].

14.3 Disease and Pest Detection

One of the most promising applications of sensor technology in precision agriculture is the early detection of crop diseases and pests. Early intervention is crucial for preventing the spread of diseases and minimizing crop losses, and sensors play a key role in detecting early signs of stress caused by pathogens or pests. Spectral imaging sensors, for instance, capture data across multiple wavelengths of light, allowing for the identification of stress indicators such as changes in leaf color, chlorophyll content, and plant canopy structure.

Hyperspectral and multispectral sensors are widely used to monitor crop health and detect diseases before symptoms become visible to the human eye. These sensors work by measuring the reflectance of light from plant surfaces at different wavelengths, providing detailed information about the physiological state of the plant. For example, spectral sensors can detect changes in the near-infrared (NIR) spectrum that are associated with water stress, nutrient deficiencies, or disease infections [39]. This early detection allows farmers to take corrective actions, such as applying targeted fungicides or adjusting irrigation, before the disease spreads.

In addition to optical sensors, biosensors are being developed to detect specific pathogens and pests in real time. These sensors can detect the presence of harmful microorganisms or insect pheromones, providing an early warning system for potential outbreaks. The use of biosensors for disease detection has been shown to reduce the reliance on broad-spectrum

pesticides, leading to more sustainable pest management practices.

14.4 Crop Growth Monitoring and Yield Prediction

Monitoring crop growth and predicting yields are critical aspects of precision agriculture, and sensor technologies play a central role in these processes. Canopy reflectance sensors, chlorophyll sensors, and spectral imaging sensors provide real-time data on plant health and growth stages, allowing farmers to monitor crop development and make informed decisions about nutrient management and irrigation [40]. These sensors measure variables such as biomass, leaf area index (LAI), and chlorophyll content, which are directly correlated with crop growth and yield potential.

By continuously monitoring crop growth, farmers can detect issues such as nutrient deficiencies or water stress early and take corrective actions. For example, chlorophyll sensors measure the chlorophyll content in leaves, which is an indicator of nitrogen levels in the plant. If chlorophyll levels are low, it suggests that the plant is nitrogen-deficient, and farmers can adjust fertilization accordingly.

Yield prediction models, which use sensor data to estimate final crop yields, are becoming increasingly accurate with the integration of machine learning and AI algorithms. These models analyze historical sensor data, weather patterns, and soil conditions to predict the likely yield for a given crop. Accurate yield predictions help farmers plan harvests, manage resources more efficiently, and make informed decisions about marketing and sales [41].

14.5 Precision Livestock Farming

Precision livestock farming (PLF) is an emerging field that applies sensor technologies to monitor and manage livestock health, productivity, and welfare. Sensors such as body temperature sensors, motion sensors, and environmental sensors are used to collect real-time data on animal behavior, physiological conditions, and environmental factors. These sensors provide insights into the health and well-being of individual animals, allowing for early detection of diseases and improved management practices.

Body temperature sensors, for example, monitor the core temperature of livestock, providing an

early warning system for fever or heat stress. These sensors are particularly valuable in detecting diseases such as mastitis in dairy cattle, which can significantly reduce milk production if left untreated [42]. Motion sensors, on the other hand, track animal movement and behavior, helping farmers detect signs of lameness, estrus, or changes in feeding patterns. By monitoring livestock behavior in real time, farmers can make more informed decisions about breeding, feeding, and health interventions.

Environmental sensors also play a crucial role in PLF by monitoring conditions such as temperature, humidity, and air quality in livestock housing. Maintaining optimal environmental conditions is essential for animal welfare and productivity, particularly in intensive farming systems. Sensors can trigger ventilation systems or heating units based on real-time data, ensuring that animals are kept in a comfortable and healthy environment.

15. CHALLENGES AND LIMITATIONS OF SENSOR TECHNOLOGIES IN PRECISION AGRICULTURE

Sensor technologies have become indispensable in modern precision agriculture, enabling more efficient resource use, improved crop management, and increased productivity [43]. However, their widespread adoption faces several challenges and limitations, including high costs, accessibility issues, data privacy concerns, interoperability problems, and environmental challenges. Understanding these barriers is crucial for addressing the limitations of sensor technologies and realizing their full potential in global agriculture.

15.1 High Cost of Sensor Installation and Maintenance

One of the primary challenges of sensor technologies in precision agriculture is the high cost of installation, maintenance, and operation. Advanced sensors, such as multi-spectral and hyper-spectral sensors, require substantial upfront investments in hardware, software, and infrastructure. The costs associated with the deployment of sensor networks, including purchasing the sensors, setting up data transmission systems, and integrating them with other farm management technologies, can be prohibitive for many small and medium-sized farmers.

For example, soil moisture sensors, while crucial for optimizing irrigation, can be expensive to install and maintain, particularly for large-scale farms that require extensive sensor coverage [44]. The cost of maintaining sensors, including replacing faulty devices, calibrating sensors to ensure accuracy, and dealing with power issues for remote sensors, adds to the financial burden. According to a study, the maintenance of sensor systems can constitute a significant portion of the total cost of ownership, particularly in regions with challenging environmental conditions that may accelerate sensor wear and tear.

Furthermore, the costs of sensor technologies are not just limited to hardware. Farmers must also invest in software platforms, cloud storage, and analytical tools to process and interpret the vast amounts of data generated by these sensors. This creates an additional barrier to entry, particularly for smallholder farmers and those in developing regions who may not have the financial resources or technical expertise to implement and maintain these systems [45].

15.2 Limited Accessibility in Remote Agricultural Areas

Limited accessibility to advanced technologies is another significant challenge in deploying sensor technologies in precision agriculture, particularly in remote or underdeveloped agricultural regions. Many rural farming areas lack the necessary infrastructure, such as reliable power sources and internet connectivity, to support the deployment of sensor networks and IoT systems. Without these infrastructures, it becomes difficult to collect, transmit, and analyze the real-time data needed for precision farming decisions [46].

In many cases, wireless sensor networks (WSNs) rely on cellular networks, Wi-Fi, or LoRaWAN to transmit data to cloud platforms or central hubs. However, the lack of cellular coverage or internet access in remote areas limits the effectiveness of these systems. As a result, farmers in these regions often face difficulties in leveraging sensor data for real-time decision-making.

The lack of technical expertise in these areas exacerbates the problem. Farmers in remote regions may not have the training or support required to install, maintain, or effectively utilize sensor systems. Training and capacity building are essential for the successful adoption of sensor technologies, but these efforts are often

overlooked in the rush to implement new technologies [47].

15.3 Data Privacy and Security Concerns

Data privacy and security have become increasingly important concerns in the context of precision agriculture as more farms become connected through IoT platforms and cloud-based systems. Sensors in precision agriculture collect vast amounts of sensitive data, including information about crop health, soil conditions, and farm management practices. This data is valuable not only to farmers but also to external stakeholders such as agribusinesses, governments, and tech companies.

However, the widespread collection and storage of agricultural data raise significant privacy and security concerns. Farmers may be reluctant to adopt sensor technologies if they fear that their data could be accessed by unauthorized parties, used for commercial purposes without their consent, or exploited by competitors. Additionally, the centralization of agricultural data on cloud platforms makes it vulnerable to cyberattacks and data breaches. The increasing use of cloud computing and IoT systems in agriculture has amplified the risk of cyberattacks, which could lead to data theft, system disruption, or even sabotage of farm operations [48].

Ensuring data privacy and security in precision agriculture requires robust encryption protocols, secure data transmission, and clear policies on data ownership and access. Governments and industry bodies must work together to establish standards and regulations that protect farmers' data rights while promoting the adoption of sensor technologies. Additionally, farmers must be educated about the importance of data privacy and security measures, including the use of strong passwords, secure data storage solutions, and regular software updates to prevent unauthorized access to their systems.

15.4 Interoperability Issues between Different Sensor Platforms

Another major challenge in the adoption of sensor technologies in precision agriculture is the lack of interoperability between different sensor platforms and systems. Many sensors used in agriculture are produced by different manufacturers, and they often operate on different protocols or data formats, making it difficult to integrate them into a cohesive farm management system [49].

For example, a farmer might use soil moisture sensors from one manufacturer and weather sensors from another. If these sensors use incompatible data formats or communication protocols, it becomes challenging to combine the data from both sources into a single decision-making platform. This lack of standardization limits the ability of farmers to fully leverage the benefits of sensor networks and may force them to invest in multiple systems or manually reconcile data from different sources [50].

Efforts to address interoperability issues include the development of open standards and protocols for sensor networks, such as the Internet of Things (IoT) frameworks. These frameworks aim to create a common language for devices to communicate, regardless of manufacturer or platform. However, the adoption of these standards has been slow, and many existing sensors and devices do not comply with these protocols, creating ongoing challenges for farmers and technology providers alike.

15.5 Environmental and Operational Challenges (e.g., Harsh Climates, Interference)

Environmental and operational challenges also limit the effectiveness of sensor technologies in precision agriculture. Agricultural environments are often exposed to harsh conditions, including extreme temperatures, high humidity, heavy rainfall, and strong winds. These factors can negatively impact the performance and longevity of sensors, leading to frequent malfunctions, data inaccuracies, and increased maintenance costs [51].

For example, soil moisture sensors may become less accurate over time due to soil compaction or sediment buildup, requiring regular recalibration or replacement. Similarly, sensors exposed to extreme temperatures may suffer from reduced battery life or component degradation, leading to more frequent failures. In areas with frequent storms or heavy winds, wireless communication systems may experience signal interference, disrupting the transmission of sensor data to central hubs.

16. FUTURE DIRECTIONS IN SENSOR TECHNOLOGY FOR PRECISION AGRICULTURE

As global demand for food continues to rise, sensor technology in precision agriculture will

play an increasingly critical role in ensuring sustainable and efficient farming practices. The future of sensor technology is poised to address current limitations such as cost, scalability, and environmental impact, while incorporating advances in artificial intelligence (AI), robotics, and sustainability [52].

16.1 Advances in Low-Cost, High-Precision Sensors

One of the most promising future directions in sensor technology is the development of low-cost, high-precision sensors. The high cost of sensor installation and maintenance has historically been a barrier to widespread adoption, particularly for smallholder farmers and those in developing regions. Future innovations will focus on reducing the cost of sensor production while improving accuracy and durability.

Advances in microelectromechanical systems (MEMS) technology and printed electronics are expected to drive down costs by enabling the mass production of sensors with minimal material requirements. MEMS-based sensors can be produced at a fraction of the cost of traditional sensors while maintaining a high level of precision [53]. Similarly, printed electronics, which involve printing conductive inks onto flexible substrates, offer a low-cost method for producing sensors that can be integrated into various agricultural applications. These sensors can monitor critical variables such as soil moisture, temperature, and nutrient levels, providing farmers with real-time data without the prohibitive costs associated with current sensor systems.

The combination of low-cost materials and improved manufacturing techniques will enable broader adoption of sensor technologies across a wider range of farming operations. In addition, future sensors are expected to offer enhanced precision, which will enable more accurate site-specific management practices and reduce the margin of error in data collection [54].

16.2 Increased Adoption of Autonomous and Robotic Sensor Platforms

Another significant trend in the future of sensor technology for precision agriculture is the increased use of autonomous and robotic platforms for sensor deployment and data

collection. Autonomous robots and drones equipped with advanced sensors are already being used to monitor crop health, soil conditions, and environmental factors. As these technologies become more sophisticated and affordable, their adoption is expected to grow exponentially.

Autonomous vehicles, such as drones and ground-based robots, can be equipped with a variety of sensors, including multi-spectral and hyper-spectral imaging sensors, to monitor large areas of farmland with minimal human intervention. These platforms allow for real-time, high-resolution data collection over large areas, making it easier for farmers to detect issues such as nutrient deficiencies, pest infestations, or water stress before they lead to significant yield losses [55].

Robots designed specifically for agricultural tasks, such as weeding, planting, and harvesting, are also expected to integrate sensor technologies to optimize their operations. For example, sensors can enable robots to precisely identify weeds and apply targeted herbicides, reducing chemical use and minimizing environmental impact. The combination of autonomous robots and advanced sensors will lead to greater efficiency in farming practices, reducing labor costs and improving crop yields.

The use of autonomous sensor platforms also holds potential for continuous, real-time monitoring of crops and soil conditions. This can be particularly valuable in regions where labor shortages are a concern or where environmental conditions make manual data collection difficult. By automating sensor deployment and data collection, farmers can achieve higher levels of precision and efficiency in their operations [56].

16.3 Development of Biodegradable and Sustainable Sensors

Sustainability is a growing concern in precision agriculture, and sensor technology will increasingly incorporate biodegradable and eco-friendly materials. Traditional sensors often use materials such as plastics and metals that can contribute to environmental pollution if not disposed of properly. The development of biodegradable sensors aims to address this issue by using materials that naturally degrade after their useful life, reducing waste and environmental impact.

Biodegradable sensors are typically made from organic materials such as cellulose, silk, and polylactic acid (PLA), which break down naturally in the soil without leaving harmful residues [57]. These sensors can be used for short-term monitoring applications, such as tracking soil moisture during a growing season, and then left to decompose naturally after harvest.

16.4 Improvement of Sensor Data Analytics and AI Integration

As the amount of data generated by agricultural sensors continues to grow, there will be an increasing need for advanced data analytics and AI integration to make sense of this information. Future developments in AI and machine learning (ML) will play a critical role in improving the interpretation of sensor data, allowing for more accurate predictions and better decision-making.

AI algorithms can analyze complex datasets generated by sensors, identifying patterns and trends that may not be immediately apparent to human observers. For example, machine learning models can process multi-spectral and hyper-spectral sensor data to detect early signs of crop disease, water stress, or nutrient deficiencies, enabling farmers to take corrective actions before these issues lead to yield losses [58]. These predictive models will become more accurate as they learn from larger datasets, improving over time and leading to more precise management practices.

Additionally, AI integration will enable the development of more advanced decision support systems (DSS), which can provide farmers with real-time recommendations based on sensor data. These systems will be capable of processing vast amounts of data from various sources—such as soil, weather, and crop sensors—and offering site-specific advice on irrigation, fertilization, and pest control.

The use of AI and advanced data analytics will also facilitate the development of autonomous farming systems, where AI algorithms can analyze sensor data and trigger automatic responses, such as adjusting irrigation schedules or applying fertilizers. This will allow for more precise, real-time management of agricultural operations, improving efficiency and sustainability [59].

16.5 Expansion of Sensor Use in Smallholder and Developing World Agriculture

While precision agriculture has traditionally been associated with large-scale commercial farming, there is growing recognition of the potential benefits for smallholder farmers, particularly in developing countries. The expansion of sensor technology to these regions will be a key future direction, with efforts focusing on developing affordable, easy-to-use sensors that can be deployed in low-resource settings.

Low-cost, robust sensors that can operate without the need for extensive infrastructure or technical expertise will be crucial for making precision agriculture accessible to smallholder farmers. For example, simple soil moisture sensors or nutrient sensors that can be easily integrated with mobile devices can help farmers in developing countries optimize their use of water and fertilizers, improving crop yields and reducing input costs [60].

Partnerships between governments, non-governmental organizations (NGOs), and technology providers will play a key role in facilitating the adoption of sensor technologies in developing regions. These partnerships can help provide farmers with access to affordable sensor systems, as well as the training and support needed to effectively use the data generated by these systems.

The expansion of sensor use in smallholder and developing world agriculture holds significant potential for improving food security, increasing productivity, and promoting sustainable farming practices. As sensor technology becomes more affordable and accessible, it will become a valuable tool for addressing the unique challenges faced by smallholder farmers, particularly in regions affected by climate change and resource scarcity [61].

17. CONCLUSION

Sensor technology is transforming precision agriculture by enhancing productivity, improving resource efficiency, and promoting sustainability. The integration of advanced sensors with AI and IoT allows for real-time monitoring of soil, crop, and environmental conditions, enabling site-specific management practices that reduce input waste and increase yields. Sensor technologies also play a critical role in addressing global challenges such as food security, climate

change, and resource conservation by optimizing water and fertilizer use and minimizing environmental impacts. While significant progress has been made, challenges such as high costs, limited accessibility, and data security concerns remain barriers to widespread adoption. However, future advancements, including low-cost sensors, autonomous platforms, and sustainable materials, promise to make sensor technology more accessible and impactful, particularly for smallholder farmers in developing regions.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of this manuscript.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Pretty J. Agricultural sustainability: Concepts, principles and evidence. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 2008;363(1491):447-465.
2. Hou D, Bolan NS, Tsang DC, Kirkham MB, O'connor D. Sustainable soil use and management: An interdisciplinary and systematic approach. *Science of the Total Environment*. 2020;729:138961.
3. Delgado JA, Short Jr NM, Roberts DP, Vandenberg B. Big data analysis for sustainable agriculture on a geospatial cloud framework. *Frontiers in Sustainable Food Systems*. 2019;3:54.
4. Greenwood DJ, Zhang K, Hilton HW, Thompson AJ. Opportunities for improving irrigation efficiency with quantitative models, soil water sensors and wireless technology. *The Journal of Agricultural Science*. 2010;148(1):1-16.
5. Sishodia RP, Ray RL, Singh SK. Applications of remote sensing in precision agriculture: A review. *Remote Sensing*. 2020;12(19):3136.
6. Monteiro A, Santos S, Gonçalves P. Precision agriculture for crop and livestock farming—Brief review. *Animals*. 2021; 11(8):2345.
7. Noborio K. Measurement of soil water content and electrical conductivity by time domain reflectometry: A review. *Computers and Electronics in Agriculture*. 2001;31(3):213-237.
8. Fageria VD. Nutrient interactions in crop plants. *Journal of Plant Nutrition*. 2001;24(8):1269-1290.
9. Stoorvogel JJ, Kooistra L, Bouma J. Managing soil variability at different spatial scales as a basis for precision agriculture. *Soil-Specific Farming: Precision Agriculture*; Lal R, Stewart BA, Eds. 2015;37-72.
10. Panth M, Hassler SC, Baysal-Gurel F. Methods for management of soil borne diseases in crop production. *Agriculture*. 2020;10(1):16.
11. Sharma LK, Bali SK. A review of methods to improve nitrogen use efficiency in agriculture. *Sustainability*. 2017;10(1): 51.
12. Li L, Zhang Q, Huang D. A review of imaging techniques for plant phenotyping. *Sensors*. 2014;14(11):20078-20111.
13. Paul K, Chatterjee SS, Pai P, Varshney A, Juikar S, Prasad V, Dasgupta S. Viable smart sensors and their application in data driven agriculture. *Computers and Electronics in Agriculture*. 2022;198: 107096.
14. Aasen H, Van Wittenberghe S, Sabater Medina N, Damm A, Goulas Y, Wieneke S, Mac Arthur A. Sun-induced chlorophyll fluorescence II: Review of passive measurement setups, protocols, and their application at the leaf to canopy level. *Remote Sensing*. 2019;11(8): 927.
15. Neethirajan S. Recent advances in wearable sensors for animal health management. *Sensing and Bio-Sensing Research*. 2017;12:15-29.
16. Santos CAD, Landim NMD, Araújo HXD, Paim TDP. Automated systems for estrous and calving detection in dairy cattle. *Agri Engineering*. 2022;4(2): 475-482.
17. Tayari E, Jamshid AR, Goodarzi HR. Role of GPS and GIS in precision agriculture. *Journal of Scientific Research and Development*. 2015;2(3):157-162.

18. Ferrara C, Barone PM, Steelman CM, Pettinelli E, Endres AL. Monitoring shallow soil water content under natural field conditions using the early-time GPR signal technique. *Vadose Zone Journal*. 2013; 12(4):vzj2012-0202.
19. Kim MY, Lee KH. Electrochemical sensors for sustainable precision agriculture—A review. *Frontiers in Chemistry*. 2022;10:848320.
20. Barnes EM, Sudduth KA, Hummel JW, Lesch SM, Corwin DL, Yang C, Bausch WC. Remote-and ground-based sensor techniques to map soil properties. *Photogrammetric Engineering and Remote Sensing*. 2003;69(6):619-630.
21. Jawad HM, Nordin R, Gharghan SK, Jawad AM, Ismail M. Energy-efficient wireless sensor networks for precision agriculture: A review. *Sensors*. 2017; 17(8):1781.
22. Soto JPT, Figueredo CFP, Navarrete OLG, Martinez LCG. Performance evaluation of LoRa technology for agricultural applications in rural areas. *Dyna*. 2021;88(216):69-78.
23. Andreo V. Remote sensing and geographic information systems in precision farming. Instituto de Altos Estudios Espaciales “Mario Gulich”-CONAE/UNC Facultad de Matematica. *Astronomia y Física-UNC*; 2013.
24. Sishodia RP, Ray RL, Singh SK. Applications of remote sensing in precision agriculture: A review. *Remote Sensing*. 2020;12(19):3136.
25. Rizwan A, Zoha A, Zhang R, Ahmad W, Arshad K, Ali NA, Abbasi QH. A review on the role of nano-communication in future healthcare systems: A big data analytics perspective. *IEEE Access*. 2018;6:41903-41920.
26. Sankaran S, Mishra A, Ehsani R, Davis C. A review of advanced techniques for detecting plant diseases. *Computers and Electronics in Agriculture*. 2010;72(1): 1-13.
27. Karunathilake EMBM, Le AT, Heo S, Chung YS, Mansoor S. The path to smart farming: Innovations and opportunities in precision agriculture. *Agriculture*. 2023;13(8):1593.
28. Sishodia RP, Ray RL, Singh SK. Applications of remote sensing in precision agriculture: A review. *Remote Sensing*. 2020;12(19):3136.
29. Yaacoub E, Alouini MS. A key 6G challenge and opportunity—Connecting the base of the pyramid: A survey on rural connectivity. *Proceedings of the IEEE*. 2020;108(4):533-582.
30. Ahmed N, De D, Hussain I. Internet of Things (IoT) for smart precision agriculture and farming in rural areas. *IEEE Internet of Things Journal*. 2018;5(6): 4890-4899.
31. Abioye EA, Hensel O, Esau TJ, Elijah O, Abidin MSZ, Ayobami AS, Nasirahmadi A. Precision irrigation management using machine learning and digital farming solutions. *Agri Engineering*. 2022;4(1):70-103.
32. Kaushik S. Nanosensor technology for smart intelligent agriculture. In *Agricultural Biotechnology*. CRC Press. 2022; 267-299.
33. Alexandris S, Psomiadis E, Proutsos N, Philippopoulos P, Charalampopoulos I, Kakalettris G, Paraskevopoulos A. Integrating drone technology into an innovative agrometeorological methodology for the precise and real-time estimation of crop water requirements. *Hydrology*. 2021;8(3):131.
34. Winowiecki LA, Bourne M, Magaju C, Neely C, Massawe B, Masikati P, Sinclair F. Bringing evidence to bear for negotiating tradeoffs in sustainable agricultural intensification using a structured stakeholder engagement process. *International Journal of Agricultural Sustainability*. 2021;19(5-6):474-496.
35. Kashyap B, Kumar R. Sensing methodologies in agriculture for soil moisture and nutrient monitoring. *IEEE Access*. 2021;9:14095-14121.
36. Sarkar D, Meena VS, Haldar A, Rakshit A. Site-specific nutrient management (SSNM): A unique approach towards maintaining soil health. *Adaptive soil management: From theory to practices*. 2017; 69-88.
37. Lakhiar IA, Yan H, Zhang C, Wang G, He B, Hao B, Rakibuzzaman M. A Review of precision irrigation water-saving technology under changing climate for enhancing water use efficiency, crop yield,

- and environmental footprints. *Agriculture*. 2024;14(7):1141.
38. Atzberger C. Advances in remote sensing of agriculture: Context description, existing operational monitoring systems and major information needs. *Remote Sensing*. 2013;5(2):949-981.
 39. Zahir SADM, Omar AF, Jamlos MF, Azmi MAM, Muncan J. A review of visible and near-infrared (Vis-NIR) spectroscopy application in plant stress detection. *Sensors and Actuators A: Physical*. 2022;338:113468.
 40. Sishodia RP, Ray RL, Singh SK. Applications of remote sensing in precision agriculture: A review. *Remote Sensing*. 2020;12(19):3136.
 41. Hammer GL, Hansen JW, Phillips JG, Mjelde JW, Hill H, Love A, Potgieter A. Advances in application of climate prediction in agriculture. *Agricultural Systems*. 2001;70(2-3):515-553.
 42. Hogeveen H, Kamphuis C, Steeneveld W, Mollenhorst H. Sensors and clinical mastitis—The quest for the perfect alert. *Sensors*. 2010;10(9):7991-8009.
 43. Sishodia RP, Ray RL, Singh SK. Applications of remote sensing in precision agriculture: A review. *Remote Sensing*. 2020;12(19):3136.
 44. Bogena HR, Weuthen A, Huisman JA. Recent developments in wireless soil moisture sensing to support scientific research and agricultural management. *Sensors*. 2022;22(24):9792.
 45. Altieri MA, Funes-Monzote FR, Petersen P. Agroecologically efficient agricultural systems for smallholder farmers: Contributions to food sovereignty. *Agronomy for Sustainable Development*. 2012;32(1):1-13.
 46. Bhat SA, Huang NF. Big data and AI revolution in precision agriculture: Survey and challenges. *IEEE Access*. 2021; 9:110209-110222.
 47. Webb GT, Vardanega PJ, Middleton CR. Categories of SHM deployments: Technologies and capabilities. *Journal of Bridge Engineering*. 2015;20(11) :04014118.
 48. Sujatha R, Prakash G, Jhanjhi NZ. (Eds.). *Cyber Security Applications for Industry 4.0*. CRC Press; 2022.
 49. Kaloxylou A, Eigenmann R, Teye F, Politopoulou Z, Wolfert S, Shrank C, Kormentzas G. Farm management systems and the Future Internet era. *Computers and Electronics in Agriculture*. 2012;89:130-144.
 50. Bayih AZ, Morales J, Assabie Y, De By RA. Utilization of internet of things and wireless sensor networks for sustainable smallholder agriculture. *Sensors*. 2022;22(9):3273.
 51. Tahan M, Tsoutsanis E, Muhammad M, Karim ZA. Performance-based health monitoring, diagnostics and prognostics for condition-based maintenance of gas turbines: A review. *Applied Energy*. 2017;198:122-144.
 52. Nishant R, Kennedy M, Corbett J. Artificial intelligence for sustainability: Challenges, opportunities, and a research agenda. *International Journal of Information Management*. 2020;53:102104.
 53. Hajare R, Reddy V, Srikanth R. MEMS based sensors—A comprehensive review of commonly used fabrication techniques. *Materials Today: Proceedings*. 2022; 49:720-730.
 54. Sudduth KA, Hummel JW, Birrell SJ. Sensors for site-specific management. *The State of Site Specific Management for Agriculture*. 1997;183-210.
 55. Muimba Kankolongo A. Food crop production by smallholder farmers in Southern Africa: Challenges and opportunities for improvement; 2018.
 56. Ivanov S, Bhargava K, Donnelly W. Precision farming: Sensor analytics. *IEEE Intelligent Systems*. 2015;30(4):76-80.
 57. Koh LM, Khor SM. Current state and future prospects of sensors for evaluating polymer biodegradability and sensors made from biodegradable polymers: A review. *Analytica Chimica Acta*. 2022;1217:339989.
 58. Hassan M, Kowalska A, Ashraf H. Advances in deep learning algorithms for agricultural monitoring and management. *Applied Research in Artificial Intelligence and Cloud Computing*. 2023;6(1):68-88.
 59. Miranda J, Ponce P, Molina A, Wright P. Sensing, smart and sustainable technologies for Agri-Food 4.0. *Computers in Industry*. 2019;108:21-36.

60. Kamal M, Bablu TA. Mobile applications empowering smallholder farmers: An analysis of the impact on agricultural development. *International Journal of Social Analytics*. 2023;8(6):36-52.
61. Cohn AS, Newton P, Gil JD, Kuhl L, Samberg L, Ricciardi V, Northrop S. Smallholder agriculture and climate change. *Annual Review of Environment and Resources*. 2017;42(1):347-375.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/123756>